

Product information

19" 1U PC Patch Panel 24-Port/s, Cat. 6A, gray, empty

R813485
966732595
1 Pcs.



With a capacity for 24 connection modules Special with Cat. 6A ISO and Cat. 6A EL, shielded.

- 19" 1U 24-port patch panel, empty
- 19" mounting kit
- 4 labeling strips
- Installation instructions

090.7192









Technical Data




DESCRIPTION [UNIT]	VALUE/VALUE RANGE
Standard	UL Listed
Protection class IP	IP 20
PoE	Yes
Holder for connector / module	Special (without mounting plate)
Assembly	empty
Fastening	19 "
Rack mounting version	sub-rack
Capacity (ports)	24
Amount of Height Units	1 U

Mechanical Data

DESCRIPTION [UNIT]	VALUE/VALUE RANGE
Width	482.6 mm
Height	43.65 mm
Depth	83.4 mm
Color	front, medium gray (NCS 2502-B) / steel, blue, chromated

Modular patch panel with integrated cable tie shelf, integrated grounding system, 19" fastening kit, labeling fields with exchangeable labeling strips. The ports are prepared for a visual color coding system and automated infrastructure management systems. Panel polycarbonate, fiber-glass-reinforced, halogen-free material, UL 94 listed and steel: DC01 (1.0330), 1.5 mm. Color front: medium gray (NCS 2502-B) / steel: blue, chromated.

	Description	PU	Product No.
	For the labeling of front plates and 19" insertions. Dimensions: A4. Material: paper, white, perforated.	1 Pcs.	R30871
	To cover one unused RJ45 connection module port with cut out 16.3 x 14.1 mm.	12 Pcs.	R812462
	Color coding clip for PC panel.	1 Pcs.	R812461
	Color coding clip for PC panel.	1 Pcs.	R812460
	Color coding clip for PC panel.	1 Pcs.	R810640
	Color coding clip for PC panel.	1 Pcs.	R810639
	Color coding clip for PC panel.	1 Pcs.	R820300
	Color coding clip for PC panel.	1 Pcs.	R832236

	Description	PU	Product No.
	The patching ring protects the admissible bending radius of the fiber glass cable. Mounted at the front of the 19" profiles. Material: 1.5 mm sheet steel, powder-coated.	1 Pcs.	R302005
	Sensor bar featuring 24 RFID readers. Suitable for the R&M 19" 1U PC Patch Panel Cat. 6A ISO and Cat. 6A EL (24 ports).	1 Pcs.	R812772
	Holders for installing the sensor bar on the R&M HD patch panel.	10 Pcs.	R809355