

Product information

19" 1U ST Patch Panel 24-Port, gray, empty

R305119
1 Pcs.



With a capacity for 24 snap-in connection modules shielded / unshielded or FO adapters snap-in frame.

- 19" 1U 24-port metal patch panel, empty, integrated cable tie shelf
- 19" mounting kit
- 4 labeling strips
- Installation instructions

010.2067

Technical Data


DESCRIPTION [UNIT]	VALUE/VALUE RANGE
Standard	UL Listed
Protection class IP	IP 20
PoE	Yes
Holder for connector / module	Snap-in frame
Assembly	empty
Fastening	19 "
Rack mounting version	sub-rack
Capacity (ports)	24
Amount of Height Units	1 U



Mechanical Data

DESCRIPTION [UNIT]	VALUE/VALUE RANGE
Width	482.6 mm
Height	43.2 mm
Depth	151.5 mm
Color	steel, blue, chromitized / front, gray (NCS 2502-B)

Patch panel with integrated cable tie shelf, 19" fastening kit, labeling field, accepting the snap-in type color coding clips in 8 colors.

Material: sub-rack made of sheet steel (DC01A) 1.5 mm, color blue chromitized, screen made of plastic (ABS), halogen-free, color medium gray (NCS 2502-B).

	Description	PU	Product No.
	Suitable for laser printers. Material: paper, white, perforated.	1 Pcs.	R305090
	Plastic plate with four mounted jumpering brackets. For a neat, horizontal routing of patch cords between patching fields. The reinforced plastic plate and snap-in jumpering brackets provide additional stability and quick mounting.	1 Pcs.	R306179
	Plastic plate with eight mounted jumpering brackets. For a neat, horizontal routing of patch cords between patching fields. The reinforced plastic plate and snap-in jumpering brackets provide additional stability and quick mounting.	1 Pcs.	R306180
	The radius guard guarantees compliance with admissible bending radius of copper and FO cables. The guard is mounted to the front of 19" racks. Color: medium gray (NCS 2503-B)	1 Pcs.	R306181
	For a simple and efficient ground connection. Accommodates one stranded cable of max. cross section of 6 mm ² . Suitable for 1U 24-port metal patch panel, 50xRJ45 voice panel and Global patch panel.	1 Pcs.	R302150
	For sheet metal cutouts of 15 x 19.5 mm in diameter and sheet thickness of 1.5 and 3 mm. Color: light gray (NCS 1005-R80B)	10 Pcs.	R308708
	Color coding clip for snap-in adapters.	10 Pcs.	R302151

	Description	PU	Product No.
	Color coding clip for snap-in adapters.	10 Pcs.	R302152
	Color coding clip for snap-in adapters.	10 Pcs.	R302153
	Color coding clip for snap-in adapters.	10 Pcs.	R302158
	Color coding clip for snap-in adapters.	10 Pcs.	R302154
	Color coding clip for snap-in adapters.	10 Pcs.	R302155
	Color coding clip for snap-in adapters.	10 Pcs.	R302156
	Color coding clip for snap-in adapters.	10 Pcs.	R302157